



ONE STOP SOLUTION FOR
HEAVY DUTY
VEHICLE REPAIRS

● **AUTOMOTIVE**

● **INDUSTRIAL**

● **MECHANICAL**



Kollisionz Consulting



Kollisionz Training

ABOUT US

KOLLISIONZ Automotive India LLP, an Indian company based out of Hyderabad Telangana, established in year 2020 to cater the needs of Automotive Heavy Duty Repairs.

Major focus – Trucks & Buses Accident Repairs

At KOLLISIONZ, our AIMisto create holistic repair experiences by providing sustainable & sophisticated repair solutions for commercial vehicle workshops, body and paint shop. With heavy duty equipment's, repair methods and systems our focus is to generate premium quality repair output at economic cost, environmentally friendly and utmost safety for Truck Accident repair and Restoration


- **Major focus on Commercial Vehicles – Trucks and Buses.**
- **Crash Repairs – Cabins, Frames & Chassis.**
- **Bodyshop Repair & Restoration Tools.**
- **Revamping of Automotive Repair Shops – Bodyshop.**
- **Heating Solutions through Induction Heaters.**
- **Measurement systems.**
- **Vehicle Testing Systems and Equipment's.**
- **Future Ready Technologies for Electrical Vehicles.**
- **Cleaning Systems though Dry Ice Blasting.**



CRASH REPAIR SOLUTIONS

CABIN

REPAIR SYSTEM



FRAME REPAIR SYSTEM

AXLE ALIGNMENT SYSTEM

HYDRALIC PRESS SYSTEM



CAB-TRUCKHYBRID™

COMMERCIAL VEHICLE CAB REPAIR SYSTEM


Kollisionz
HEAVY DUTY REPAIR SOLUTIONS




www.kollisionz.com

3




www.kollisionz.com


- Universal repair systems with flexible applications
- Special attachment options for different cab models
- Hydraulic support for floorboard and chassis repair
- Usable on a grate for added versatility
- Bracket systems adaptable to individual cab models
- Simultaneous hydraulic support during chassis repair
- Chassis pattern detection highlighting hinge & striker points
- Focus on 4 key chassis zones for proper cab mounting
- HIGHTOWER™ towers used across all attachment systems




CAB-RAM™



CAB-TECH™



CAB-MAX Hybrid™



Which system to choose?


- System choice depends on when you expand into cabin repair services
- Best implemented during overall service technology planning
- Not mandatory – can be added at any stage
- Grate-mounted devices are ergonomic and efficient
- Grate area flexibility – use existing frame repair grate or create a dedicated “small grate” (~5 x 5 m) for cabs
- Alternative option – use an anchor system for repair accessories and pull towers if no grate is available



CAB-MAX HYBRID™

COMMERCIAL VEHICLE CAB REPAIR SYSTEM


Kollisionz
HEAVY DUTY REPAIR SOLUTIONS



www.kollisionz.com

5





www.kollisionz.com

CAB-TRUCK HYBRID™

COMMERCIAL VEHICLE CAB REPAIR SYSTEM

- Specialized system for repairing heavy-duty truck cabins
- Bracket systems adaptable to individual cab models
- Simultaneous hydraulic support for chassis repair
- Chassis pattern detection highlighting hinge & striker points
- Focus on 4 key chassis zones for proper cab mounting
- Equipped with electronic repair control system
- CAB-MAX control™ version enables continuous monitoring of base points
- Measures position of front handles during repair process
- Floor-mounted grate setup – ergonomic & efficient
- Alternative options: smaller 5 × 5 m grate or anchor systems with pull towers



CAB-MAX 
CONTROL

- Universal repair system
- Specialized mounting options
- Hydraulic support for chassis repairs
- Can be used on a floor-mounted grate
- Entirely manufactured in the EU




FIXING TO THE GRATE

- Full system for truck cab repair
- Bench on grate fixed in service floor
- Repairs both cab chassis & upper section

HYDRAULIC SUPPORT FOR SETTING BASE POINTS

- Fits specific cabin models with adaptable mounting systems
- Hydraulic support for chassis repair
- Creates chassis template for accurate repair
- Highlights key hinge & latch points



IMPROVE SAFETY AND ERGONOMICS

In standard repair systems, organoleptic control and monitoring of the repair process can be hindered as the cabin often obscures the pin seating area. The innovative CAB-MAX control™ solution addresses this issue. Additionally, the ability to remotely monitor the control panel significantly improves the safety of operators.



RAM-TRUCK HYBRID™

COMMERCIAL VEHICLE FRAME REPAIR SYSTEM



RAM-TRUCK HYBRID™

COMMERCIAL VEHICLE FRAME REPAIR SYSTEM

- The HERKULES RAM-TRUCK hybrid™ system is designed for post-accident and operational repairs of damaged commercial vehicles - Truck frames. It
- utilizes a set of devices anchored to a permanently embedded grate in the workshop floor, enabling effective, ergonomic, and safe straightening. The
- basic set includes Horizontal presses Blocking
- assemblies Vertical presses, "C"-type presses
- Supporting accessories.

ALU HYBRID™




ALUMINIUM AND STEEL ALLOYS HYBRID
To ensure the optimal combination of lightness strength



100% ALUMINIUM
The brackets are made of a light alloy with high strength parameters.



HEAVY DUTY
Exceptionally durable and stable steel base structure



- Each set comes equipped with certified chains and hooks. The grate is custom-made based
- on an individual project prepared for the investor. The fixing system utilizes slots in the grate, allowing rapid and efficient attachment of essential system components such as
- Presses
- Blocking assemblies,
- Pulling towers,
- Cabin repair system frames, and roller handles

- Cabin repair system frames, and roller handles KOLLISIONZ is involved in the entire process, from designing the technology to fabricating the grate, delivering repair equipment, and training service personnel.


HORIZONTAL PRESS

- Horizontal press with a hydraulic drive can be used
- To straighten the frame structure
- As a barrier.
- Allows to increase the impact force during repairs.
- In the case of opposite directions, the action of the straightening forces is additive







The new TOWER hybrid™ press has a very wide operating range, and when equipped with the extension adapter it can be used for trailer repairs. A pneumatic cylinder facilitates lifting and height adjustment without the use of significant force.



The power devices are driven by pneumatic-hydraulic pumps. The repair system can additionally be equipped with a 400 kN press-riveter, a 200 kN expansion set, or a system for mounting and repairing SUVs, delivery vehicles, off-road vehicles, and passenger cars. The repair system can also be supported by measuring devices for controlling the shape of frames and cabins, as well as wheel and axle alignment.



Straightening the lateral curvature



Correction of the twisting



Straightening the diagonal curvature


EFFECTIVE REPAIR The repair station equipment offered by the HERKULES TRUCK hybrid™ system enables the repair of any damage that may occur as a result of an accident, collision, or operational wear. The right choice of equipment and employee training will ensure full and effective use of the capabilities of the HERKULES TRUCK hybrid™ system.



RAM-EXAM HYBRID™

COMMERCIAL VEHICLE FRAME MEASUREMENT KIT


Kollisionz
HEAVY DUTY REPAIR SOLUTIONS



www.kollisionz.com

11



www.kollisionz.com

RAM-EXAM HYBRID™

COMMERCIAL VEHICLE FRAME MEASUREMENT KIT

- RAM-EXAM hybrid™ is a laser-based device for measuring the shape geometry of vehicle frames.
- It can be used both as a diagnostic tool and as a system for continuous monitoring during vehicle repairs.
- RAM-EXAM hybrid™ works in conjunction with the TRUCK REPORT™ software.
- Measurement results can be recorded directly onto measurement protocol sheets. Parameters that can be measured using the RAM-EXAM hybrid™ system include CENTRALAXIS DEVIATIONS, BEAMS LINEARITY, FLATNESS, and ANGULARITY.
- RAM-EXAM hybrid™ is a complete and ergonomic measurement system primarily designed for comprehensive frame shape control in commercial vehicles. Most components feature a quick-mount system based on neodymium magnetic holders, ensuring reliability. All components of the RAM-EXAM hybrid™ system are compatible with TRUCK-EXAM hybrid™.

- Measurement of all frame shape deviations
 - Precise and user-friendly
 - Full laser control
- Assisted by computer software
Entirely manufactured in the EU




IMPORTANCE OF FRAME ALIGNMENT

- Checking the vehicle support frame alignment can have a direct impact on the wheel alignment. The parameters on which the frame shape has the greatest impact are axle irregularity and wheel tracking. Can determine the correct vehicle movement on the road. Proper frame, axle and wheel alignment means not only an increase in safety, but also lower costs of vehicle operation.
- The most important economic factors of vehicle use, which can be reduced when the suspension system is correctly aligned, are the tire wear and fuel consumption.
- In addition, proper alignment of the suspension system increases the lifetime of wheel suspension components and makes driving more comfortable and safer.



The actual software and report screens may vary depending on the software version.





MEASUREMENT AND REPAIR The RAM-EXAM hybrid™ system is most often used as equipment for repair systems such as HERKULES TRUCK™. The measurement enables a significant increase in the performance of the service center by reducing the time required for correct diagnosis to minimum and allows avoidance of errors during the repair.



RAM-EXAM hybrid™ is a complete system for monitoring the shape of commercial vehicle frame alignment based on precise laser measurement.



RAM-EXAM hybrid™ is equipped with mechanical-magnetic clamps for mounting the measuring head.




Measuring head is a top-class testing device equipped with a semiconductor laser.



The vertical plane measurement of frame twisting and frame elements deflection is intuitive and precise.



All components of the RAM-EXAM hybrid™ system are compatible with TRUCK-EXAM hybrid™ wheel and axle alignment systems.



The RAM-EXAM hybrid™ synchronous measurement rulers are mounted directly on the tested frame of the vehicle.



QUALITY WITHOUT COMPROMISE

The most important elements of the device are made of the highest class lightweight aluminum alloys used in the aviation industry and precision mechanics. All components of the RAM-TRUCK™ system are lightweight, durable and safe to use.



HEATING SOLUTIONS



WASP

Cod. WSP1
400 W



PORTABLE INDUCTION HEATER FOR BODYSHOP

Specifications

- Removes hail dents effectively
- New design with updated electronics
- Supports 2 interchangeable accessories
- Uses magnetic induction to heat and raise dents
- No paint damage, saves repair time
- Compact and lightweight (3 kg), easy to carry
- Adjustable power for different metal thickness
- Start button on accessory for easy use (no pedals)

HORNET

Cod. DF3
3 kW



Specifications

- Designed for body shops
- 3kW power, 5 kg lightweight design
- Supports 5 interchangeable accessories
- Removes stickers, mouldings, and adhesives without glue residue
- Releases rusty bolts and heats them for easy removal
- Detaches fixed windows (rear & side) safely
- Removes paint, anti-drumming compounds, and adhesives
- Raises dents caused by hail quickly
- Works on aluminium as well
- Saves hours of repair work

DRAGON 300 EVOLUTION

3,9 kW

Cod. IHDEVO



INDUCTION HEATER FOR BODYSHOP

Specifications

- Removes hail dents effectively
- New design with updated electronics
- Supports 2 interchangeable accessories
- Uses magnetic induction to heat and raise dents
- No paint damage, saves repair time
- Compact and lightweight (3 kg), easy to carry
- Adjustable power for different metal thickness
- Start button on accessory for easy use (no pedals)

BUTTERFLY EVOLUTION

3,5 kW

Cod. BFHEVO



Specifications

- 3.5kW liquid-cooled power torch
- Removes adhesives, dents & fixed windows
- Works on steel and aluminium
- Continuous operation with cooling system
- Safe near cables, pipes (no flames)
- Compact & lightweight (9 kg)
- Insulation transformer for operator safety

XPERIENCE 22

22 kW Cod. XP22



INDUCTION HEATER

Specifications

- High-power heater for all metals, incl. aluminium
- Ideal for structural shops & heavy vehicles (trucks, farm, quarry, mining)
- Double liquid cooling for nonstop use
- Heats thick metal fast (800°C in 3 sec, 40×40×16mm)
- Removes bolts, bearings, king pins, shafts & joints
- Safe near cables & pipes (no flames)
- Insulation transformer ensures operator safety

XPERIENCE 18

18 kW Cod. XP18



Specifications

- 18kW high-power induction heater
- Heats all metals incl. aluminium
- For structural shops & heavy vehicles (trucks, farm, quarry, mining)
- Heats thick metal fast (800°C in 4 sec, 40×40×16mm)
- Handles frames, king pins, bolts, shafts, bearings, pre-heating
- Strong liquid cooling for long, nonstop work
- Safe near cables/pipes (no flames) + insulation transformer for safety
- 150 kg, easy to move with braking wheels; optional PLC for remote control

DRAGON 2000

16 kW

Cod. IHD2000



Specifications

- Heavy-duty induction heater for structural shops & heavy vehicles
- Heats ferrous & aluminium frames, bolts, shafts, bearings, king pins
- Exceptional power & efficiency, 6mm depth heating
- Heats 40×40mm (12mm thick) to 800°C in 4 sec
- Strong liquid cooling for nonstop long use
- Safe near cables/pipes (no flames) with insulation transformer
- 150 kg, easy to move with sturdy braking wheels

DRAGON 1000

11 kW

Cod. IHD1000



Specifications

- 11kW three-phase 400V induction heater
- For structural shops, workshops & body shops
- Heats steel & aluminium frames, bolts, shafts, bearings, joints
- 5mm depth heating, 40×40mm (10mm thick) to 800°C in 6 sec
- Powerful & efficient for heavy-duty use
- Strong liquid cooling for long, nonstop work
- Safe near cables, pipes (no flames)

DRAGON 800

8 kW

Cod. IHD08



Specifications

- 8kW three-phase 400V induction heater
- Compact design, space-saving in workshops
- For structural shops, body shops & commercial vehicles
- Heats & straightens steel/aluminium parts
- Removes bolts, joints, grouts & paints
- Strong liquid cooling for nonstop work
- Insulation transformer ensures max safety

DRAGON 600

6,2 kW

Cod. IHD06



Specifications

- 6.2kW, 400V three-phase induction heater
- Compact size, highly efficient
- Heats & straightens steel/aluminium parts
- Handles bearings, bolts, grouts & paints
- Continuous operation with strong liquid cooling
- Lightweight (65 kg), smallest in its class
- Isolating transformer for maximum safety

DRAGON 500 - 230V

5,4 kW Cod. IHD05



Specifications

- 5.4kW, single-phase 230V induction heater
- Compact size, efficient & space-saving
- Ideal for shops without 400V supply
- Heats & straightens steel/aluminium parts
- Used for bearings, bolts, bending & straightening
- Continuous operation with strong liquid cooling
- 65 kg, easy to handle; insulation transformer for safety (optional timer)

DRAGON 400

3,9 kW Cod. IHD04



Specifications

- High-efficiency induction heater
- Upgraded liquid cooling for long, nonstop use
- Heats steel/aluminium parts instantly
- Depth 2.5mm, 30×30mm (3mm thick) to 800°C in 3 sec
- Compact & convenient (60 kg)
- For car shops, body shops & tyre shops
- Insulation transformer for max safety (optional timer)

DRAGON 300

3,9 kW

Cod. IHD03



Specifications

- Compact, high-efficiency induction heater
- Heats steel & aluminium parts instantly
- Strong liquid cooling for nonstop operation
- Depth 2.5mm, 30×30mm (3mm thick) to 800°C in 3 sec
- Safe near cables & pipes (no flames)
- Lightweight 39 kg, easy to move
- Insulation transformer ensures operator safety

RAPTOR

8 kW

Cod. BFH800



PORTABLE INDUCTION HEATER

Specifications

- World's first portable 8kW induction heater
- Integrated liquid cooling system
- Advanced 32-bit ARM-Cortex M4 processor control
- Miniaturised design from R&D expertise
- Heats & straightens steel/aluminium parts
- Continuous operation with water cooling
- Compact, powerful & portable solution

SPITFIRE

6,2 kW

Cod. BFH600



Specifications

- Compact, high-efficiency induction heater
- Heats steel & aluminium parts instantly
- Strong liquid cooling for nonstop operation
- Depth 2.5mm, 30×30mm (3mm thick) to 800°C in 3 sec
- Safe near cables & pipes (no flames)
- Lightweight 39 kg, easy to move
- Insulation transformer ensures operator safety

RAPTOR

8 kW

Cod. BFH800



Specifications

- World's first portable 8kW induction heater
- Integrated liquid cooling system
- Advanced 32-bit ARM-Cortex M4 processor control
- Miniaturised design from R&D expertise
- Heats & straightens steel/aluminium parts
- Continuous operation with water cooling
- Compact, powerful & portable solution

BUTTERFLY

3,5 kW Cod. BFH01



Specifications

- 3.5kW powerful induction heater
- Heats steel & aluminium parts (up to 2.5mm depth)
- 30×30mm (3mm thick) to 800°C in seconds
- Integrated liquid cooling for nonstop work
- Aluminium body – compact & lightweight
- For workshops, body shops & tyre shops
- Insulated transformer for maximum safety

STANDARD INDUCTOR



Cod. IND358NM

FRONT INDUCTOR



Cod. IND358FRNM

ROUND TIP INDUCTOR



Cod. RND358NM

RING INDUCTOR



Cod. IND3RX

4	Liquid Cooling	2,5	7	21x45x26

3,5 kW	SHUCKO 230 V 2P+N+PE 50-60Hz	freq. kHz 20-60	20	20°C 20 minutes MAX POWER	1,8

DIAGNOSTIC SOLUTIONS



BRAKES / FRENI

SPURGAFRENI AUTOMATICO 12V

HU11006N

Specifications



- Works with ABS/ESP
- 12V power + reverse polarity safety
- Stainless steel body
- Electric pump 0–3.5 Bar, auto shut-off
- Pressure regulator 0–3.5 Bar
- 5L tank with min level indicator
- Auto OFF at low fluid
- Wide tank opening, easy clean
- 12V power cable, 4m
- Brake fluid quick coupling, 4m
- Refill tank + universal adaptor (fits 85% cars)
- Optional: AC 110–230V to 12V DC supply

ADATTATORI PER SPURGAFRENI

HU11004

Specifications



- 10 dedicated caps
- 1 universal cap
- 1 90° adapter
- 1 syringe



CHIAVE A CRICCHETTO PER SPURGA FRENI

HU11009



Specifications

- Works with ABS/ESP
- 12V power + reverse polarity safety
- Stainless steel body
- Electric pump 0–3.5 Bar, auto shut-off
- Pressure regulator 0–3.5 Bar
- 5L tank with min level indicator
- Auto OFF at low fluid
- Wide tank opening, easy clean
- 12V power cable, 4m
- Brake fluid quick coupling, 4m
- Refill tank + universal adaptor (fits 85% cars)
- Optional: AC 110–230V to 12V DC supply

ADATTATORI PER SPURGA FRENI

HU11007



Specifications

- Universal adaptor for master cylinder reservoir (for pressure bleeding with HU11030 / HU11006)
- Compact design with 90° quick coupler — fits even in tight spaces
- Clamps on threaded or ¼ thread reservoir (no chain needed)
- Adjustable height and width
- 4 interchangeable rubber cones to fit all reservoir size

SPURGAFRENI ELETTRONICO PROFESSIONALE

HU11035



Specifications

- HU11030: Portable version up to 20 L
- HU11035: On trolley version up to 60 L
- Also available :
- HU11036: Trolley only
- (to upgrade the portable version to on trolley version)
- Digital pressure control (0.5–4.5 bar) with LCD display
- Auto levelling & safety shut-off (wrong pressure, leaks, empty drum)
- Flush mode + heavy-duty 12V powered design
- Includes cap, waste fluid bottle & cone adaptor

HU11030



Specifications

- Universal adaptor for master cylinder reservoir (for pressure bleeding with HU11030 / HU11006)
- Compact design with 90° quick coupler — fits even in tight spaces
- Clamps on threaded or ¼ thread reservoir (no chain needed)
- Adjustable height and width
- 4 interchangeable rubber cones to fit all reservoir size

PATENTED



TESTER UNIVERSALE DI PRESSIONE

HU35025



Scoprite tutti gli accessori nella
nostra brochure PressureDiag

SCAN ME



PRESSUREDIAG

Specifications

Kit includes:

- Digital pressure control (0.5–4.5 bar), LCD (6 languages)
- Auto level & safety stop (pressure, leaks, empty drum)
- Flush mode, heavy-duty, 12V power (optional AC/DC)
- Comes with cap, waste bottle & rubber cone

Specifications

- | | |
|--|--|
|  Cooling system pressure |  Oil pressure |
|  Fuel low pressure |  Turbo pressure |
|  Vacuum pressure |  AdBlue pressure |
|  Compression
PETROL & DIESEL |  Particle filter pressure |

KIT UNIVERSALE ADATTATORI PRESSIONE

HU35042




Specifications

- Can be connected to any Turbomanometer
- Compatible with HU35025 PressureDiag
- Easy integration with diagnostic tools
- Supports quick pressure testing
- Ensures accurate and reliable readings
- Suitable for workshop and professional use

PATENTED

COMPRESSIONE PER CANDELETTE DI PRERISCALDO DIESEL

HU35039



Specifications

- M8 x 1
- M9 x 1
- M10 x 1
- M10 x 1.25

PATENTED

ADATTATORE UNIVERSALE COMPRESSIONE DIESEL




Specifications

- Can be used with any analog compression tester
- Wide compatibility across tester brands
- Simple connection and easy use
- Ensures accurate compression readings

ADATTATORI UNIVERSALI «T»

PRESSUREDIAG

HU35041



Specifications

- Universal "T" adaptors for wide compatibility
- Fits multiple connection types
- Strong and durable design
- Quick and secure coupling
- Suitable for professional workshop use

KIT ALTA PRESSIONE DIESEL



HU35026

Specifications

- Measures common rail pressure
- Thread size: M12 x 1.50
- Accurate and reliable readings
- Suitable for diesel systems

KIT ADATTATORI COMMON RAIL 90°

HU35028



Specifications

- Kit adattatori per sistema Common Rail a 90°
- Compatibile con misuratori di pressione analogici e digitali
- Materiale resistente per lunga durata
- Adattatori multipli inclusi (es. M8x1, M10x1, M12x1.5)
- Facile installazione su motori diesel
- Ideale per test di pressione in officina

KIT ADATTATORI DIESEL BMW

M15 X100



HU35032

Specifications

- Adattatori specifici per motori Diesel BMW
- Filettatura M15 compatibile con strumenti X100
- Materiale resistente e durevole
- Montaggio rapido e sicuro per test e diagnostica

KIT REGOLATORI FINTI COMMON RAIL

HU35031



Specifications

- Regolatori finti Common Rail
- Per test e diagnostica
- Facile installazione
- Materiale resistente

KIT TAPPI INIETTORI COMMON RAIL M12 Y M14 X150

HU35030




Specifications

- Tappi per iniettori Common Rail
- Filettature M12 e M14
- Materiale resistente e durevole
- Montaggio rapido e sicuro

TESTER PERDITE CILINDRI

HU35027




Specifications

- Analogic gauge for gasoline systems
- Adapters included: M10, M12, M14
- Compatible with diesel adapters from PressureDiag range
- Usable with HU35025 PressureDiag or included adapters

KIT REGOLATORI FINITI COMMON RAIL

HU35033



Specifications

- 10 common size adapters
- 4 turbo banjo adapters
- 1 short 90° adapter
- Versatile for multiple applications

KIT ADATTATORI ALTA PRESSIONE BENZINA (5 PCS.)

HU35029



Specifications

- For GDI high fuel pressure engines
- 10 common size adapters
- 4 turbo banjo adapters
- 1 short 90° adapter

KIT ADATTATORI ARIA CONDIZIONATA

HU35027



Specifications

- Adattatori per aria condizionata
- Universale e resistente
- Montaggio rapido e sicuro
- 2 High pressure connectors
- 2 Low pressure connectors

PINZA SNODATA PER IL DISTACCO RAPIDO DELLA LINEA CARBURANTE

HU35019



Specifications

- Pinza snodata per carburante
- Stacco rapido e sicuro
- Ideale per linee di carburante
- Materiale resistente e durevole

STETOSCOPIO DIGITALE SENZA FILI RICARICABILE

STE97605



**DIAGNOSTICS /
DIAGNOSTICA**

Specifications

- Detect squeaks, rattles & chassis noises
- 4.3" color LCD touchscreen
- Easy-to-use interface
- Rechargeable control unit
- Rechargeable transmitter

STETOSCOPIO ELETTRONICO SENZA FILI

STE97216



Specifications

- Detect chassis noises
- 4.3" touch LCD
- Easy interface
- Rechargeable control unit
- Rechargeable transmitter

CAVO DI REGISTRAZIONE

STE97605



Specifications

- Noise Detection – Find squeaks, rattles & chassis noises
- LCD Touchscreen – 4.3" color, easy to use
- Rechargeable – Control unit & transmitters
- Record & Share – Capture tests on iOS/Android easily
- Compatibility – Works with STE97605 & STE97216

Specifications

- High sensitivity – precise leak detection
- Vacuum & compressed air checks
- HVAC system leaks
- Electrical issues – insulation, arcing, relays
- LPG, tires & passenger compartment tightness

STETOSCOPIO A ULTRASUONI



HU33003

VIDEOSCOPIO A DOPPIO

OBIETTIVO 3.9 MM

HU23155



Specifications

- | | | |
|--|---|--|
| 
Pictures/Video | 
IP67 waterproof | 
Large capacity battery |
| 
5.0 inch screen | 
HD 1080P | 
TF card |
| 
180-degree lens in two directions | 
Three-stage LED light adjustment | 
Five-layer camera probe |

VIDEOSCOPIO A DOPPIO OBIETTIVO 3.9 MM

HU23153



Specifications



SPEAKER & MIC VOCAL ANNOTATION



3500mAh LITHIUM BATTERY



5-INCH HD SCREEN

HU12020

MACCHINA A FUMO PER RILEVAMENTO PERDITE

Specifications

- Detect leaks in engines & systems
- Professional smoke diagnostics
- Smoke oil & accessories included
- Built-in 1.3 bar air compresso



MANUALE MITYVAC PER VUOTO E PRESSIONE

MI8550



Specifications

- Manuale Mityvac per vuoto e pressione
- Ideale per test e diagnostica motore
- Facile da usare e preciso
- Materiale resistente e duraturo



HU31035


SIMULATORE DI SENSORI

Specifications

- Simulatore per diversi tipi di sensori
- Ideale per test e diagnostica elettronica
- Facile da usare e preciso
- Materiale resistente e duraturo

KIT RESET AIRBAG CON RESISTENZE

HU31026



Specifications

- Kit per reset airbag con resistenze
- Ripristino sicuro dei sistemi airbag
- Facile da usare in officina
- Materiale resistente e durevole

CAVO A RIAVVOLGIMENTO AUTOMATICO

HU31029



Specifications

- Cavo a riavvolgimento automatico
- Facile da stendere e ritirare
- Ideale per officine e laboratori
- Materiale resistente e durevole

SET CAVI DIAGNOSTICI (122 PEZZI) INCLUDE NUOVI CONNETTORI «Y»

HU31022



Specifications

- Complete automotive lead kit
- Y-connectors & ultra-thin plugs
- Leads for sensors, valves & injectors
- Male/Female pairs by size
- ATC adapters & current loop included

KIT 6 PUNTE DI TEST A SPILLO



HU31021


Specifications

- Kit con 6 punte di test a spillo
- Ideale per misure elettriche precise
- Compatibile con multimetri e strumenti diagnostici
- Resistente e facile da usar



SET DI 15 PEZZI DI CAVI «Y»

HU31028



Specifications

- Set da 15 cavi «Y»
- Per test in serie e diagnosi rapida
- Compatibili con vari connettori
- Resistenti e facili da usare



DIESEL

ESTRATTORE UNIVERSALE DELLE PUNTE DELLE CANDELETTE M8, M9 Y M10



HU41050

Specifications

- Estrattore universale punte candele
- Compatibile con M8, M9 e M10
- Ideale per officine e meccanici
- Resistente e facile da usare
- Estrattore punte candele
- Misure M8, M9, M10
- Robusto e universale

PATENTED



ESTRATTORE UNIVERSALE PER CANDELETTE DIESEL

HU41051



Specifications

- Estrattore universale per candele diesel
- Compatibile con vari modelli e misure
- Ideale per officine e riparazioni veloci
- Robusto e durevole nel tempo

PATENTED

KIT RIPARAZIONE FILETTI CANDELETTE M8, M9, M10X100, M10X125

HU41058



Specifications

- Kit completo per riparazione filetti candele
- Misure: M8, M9, M10x100, M10x125
- Ripristino rapido e sicuro
- Robusto e facile da usare



ESTRATTORE UNIVERSALE INIETTORI

HU41055



Specifications

- Estrattore universale per iniettori diesel
- Compatibile con diversi modelli e misure
- Ideale per smontaggi rapidi e sicuri
- Robusto e durevole nel tempo

PATENTED

ESTRATTORE PNEUMATICO INIETTORI A PROFILO BASSO CON MANIGLIA

HU41056




Specifications

- Estrattore pneumatico per iniettori
- Profilo basso per spazi ridotti
- Dotato di maniglia per uso pratico
- Robusto e durevole per officine



ESTRATTORE GUARNIZIONI INIETTORI DIESEL

HU41010



Specifications

- Estrattore per guarnizioni iniettori diesel
- Compatibile con vari modelli di motore
- Smontaggio rapido e sicuro
- Robusto e durevole

KIT UNIVERSALE PULIZIA SEDI INIETTORI

HU41056



Specifications

- Kit universale per pulizia sedi iniettori
- Compatibile con diversi modelli diesel
- Rimuove residui e incrostazioni facilmente
- Robusto e pratico per officine

WHEELS / RUOTE


HU42025

KIT RIMOZIONE DADI ANTIFURTO



Specifications

- Kit universale per rimozione dadi antifurto
- Compatibile con diversi modelli di veicoli
- Smontaggio rapido e sicuro
- Robusto e durevole



PATENTED

Lugdriller
HUBITOLS DESIGN



PUNTA IN CARBURO PIENO

HU42026



Specifications

- Punta in carburo pieno ad alta resistenza
- Ideale per forature precise e profonde
- Lunga durata e massima affidabilità
- Adatta per uso professionale in officina

LEVA SMONTAGGIO SEMIALBERO

HU43027



Specifications

- Leva universale per smontaggio semialbero
- Ideale per operazioni rapide e sicure
- Struttura robusta e durevole
- Pratica per uso in officina



SUSPENSION / SOSPENSIONE

SOLLEVATORE ARTICOLATO PER AMMORTIZZATORI MCPHERSON (500 KG)

Specifications

- Sollevatore articolato per ammortizzatori McPherson
- Capacità di sollevamento fino a 500 kg
- Struttura robusta e stabile
- Ideale per officine professionali



HU43025


Max. 100kg

Not articulated

Not adjustable

Unsafe

**BENDING OF THE
TRANSMISSION JACK**



500kg

Articulated

Adjustable

Safe

PATENTED





ESPANSORE MOZZO RUOTA

Specifications

- Espansore universale per mozzo ruota
- Facilita il montaggio e smontaggio dei dischi
- Ideale per officine e gommisti
- Robusto e durevole nel tempo

HU43026



BATTERY / BATTERIA

AVVIATORE A BATTERIA LITIO 12V - 2000 A

HU34040

Specifications



- Avviatore a batteria litio 12V - 2000A
- Potente e compatto, ideale per auto e veicoli commerciali
- Ricaricabile, con protezioni di sicurezza integrate
- Robusto e facile da usare in ogni situazione
- 12v
- LiFePO4 battery
- Peak current: 2000A
- Starting current: 1000A
- Capacity 59,2 Wh
- Dimensions : 133 x 120 x 260mm



AVVIATORE A BATTERIA

LITIO 12V – 1200A

HU34036



Specifications

- 12V LITHIUM BOOSTER 12V – 1200A
AVVIATORE A BATTERIA LITIO 12V – 1200A
- LiFePO4 battery
- Peak current: 1200A
- Starting current: 500A
- Capacity 16,000mAh (59,2 Wh)
- Dimensions : 227 x 100 x 32mm
- Avviatore a batteria litio 12V – 1200A
- Potente e compatto per auto e veicoli leggeri
- Ricaricabile con sistemi di protezione integrati
- Robusto e facile da usare

AVVIATORE A BATTERIA LITIO 12V-1200A/24V-600A



HU34035

Specifications

- 12V & 24V
- Batteria LiFePO4
- Corrente di picco: 12V 1200A / 24V 600A
- Corrente di avvio: 12V 600A / 24V 300A
- Capacità: 35.000mAh (102,4 Wh)
- Dimensioni: 292 × 233 × 79 mm
- Caratteristiche principali:



ANALIZZATORE DEL SISTEMA ELETTRICO E BATTERIA START & STOP

HU34012



Specifications

- Analizzatore batteria Start & Stop
- Controllo circuito elettrico
- Professionale e pratico

ANALIZZATORE DEL SISTEMA ELETTRICO E BATTERIA USB



Specifications

- Analizzatore sistema elettrico e batteria USB
- Controllo rapido di batterie e circuiti
- Diagnostica professionale per officine
- Facile da usare e preciso



COMPROVATORE DI BATTERIE BLUETOOTH + MONITORAGGIO IN TEMPO REALE

HU34045



Specifications

- Connessione Bluetooth
- Monitoraggio in tempo reale
- Diagnostica rapida e precisa
- Facile da usare
- Portatile e compatto

CARICABATTERIE/MANTENITORE /ALIMENTATORE 1.5/10AMP



Specifications

- Caricabatterie, mantenitore e alimentatore
- Corrente regolabile 1.5-10 A
- Adatto a batterie auto e veicoli leggeri
- Robusto, sicuro e facile da usare



BODY REPAIR RIPARAZIONE CARROZZERIA

TIRA AMMACCATURE PNEUMATICO



Specifications

- Rimuove ammaccature senza vernice
- PDR e riparazioni classiche
- 3 ventose incluse
- Aria compressa
- Peso totale 4,7kg

TORCIA LED RICARICABILE 700LM

HU21045



Specifications

- LED compatto ricaricabile
- Base magnetica forte
- Corpo in alluminio resistente
- 3 livelli luminosità: 100 / 350 / 700 lm
- Autonomia: 10 / 4 / 2 h

SET 5 LEVE PER CLIPS

HU44019



Specifications

- Ideale per rimozione clip
- Design sottile e robusto
- Non si piega come leve in plastica

STAZIONE SALDATURA ARIA CALDA 2-IN-1

HU31040



Specifications

Hot Air Welder:

- Regolazione flusso e temperatura
- Pronto all'uso immediato
- Saldatura robusta e precisa
- Include diverse bacchette per plastica
- Spegnimento automatico con manico
- Temperatura: 100-500°C
- Flusso aria: 3-24 L/min

Airless Iron Welder:

- Temperatura regolabile
- Pronto in <30 sec
- Punta speciale per plastica e rinforzi
- Riparazioni e sostituzioni componenti
- Temperatura: 50-480°C



KIT COMPLETO PER RIPARAZIONE PLASTICA



Specifications

- Cordless per riparazioni plastiche
- Batteria Li-ion 30W, design a penna
- Punta universale per fusione rapida
- Punta iniezione plastica per riparazioni precise
- Punta per punti/staple per fissaggio



FLUID TRANSFER TRASFERIMENTO FLUIDI

ESTRATTORE CARBURANTE

HU46005



Specifications

- Estrattore carburante a vuoto
- Omologazione ATEX
- Funziona con aria compressa
- Nessun motore elettrico – zero scintille, sicuro

KIT UNIVERSALE PER TEST IMPIANTO DI RAFFREDDAMENTO

AB70809



Specifications

- Kit universale per test impianto raffreddamento
- Controllo rapido di perdite e pressione
- Compatibile con vari veicoli
- Robusto e facile da usare



POMPA DI TRASFERIMENTO QUICKFLOW

AB71197



Specifications

- Pompa ingranaggi ad alto flusso
- Lavoro rapido e efficiente
- Ideale per cambio, differenziali e transfer case
- Robusta e durevole

ESTRATTORE CARBURANTE

AB70880



Specifications

- Ricarica vuoto senza bolle nel sistema di raffreddamento
- Funziona su tutti i veicoli ICE
- Compatibile anche con HEV e EV
- Rapida e facile da usare

AB70880 MAGNETIC HOLDERS BODY REPAIR SUPPORTI MAGNETICI


PORTA UTENSILI MAGNETICO REGOLABILE

HU51030



Specifications

- Porta utensili magnetico regolabile
- Mantiene strumenti saldamente in posizione
- Ideale per officine e laboratori
- Robusto e durevole



ESTRATTORE CARBURANTE



HU51020 Set of 5 clips (62 mm diameter)

HU51021 Set of 5 clips (45 mm diameter)

Specifications

- Set 5 clip Ø62 mm
- Set 5 clip Ø45 mm
- Ideali per fissaggi rapidi
- Robuste e riutilizzabili



DISTRIBUTORE DI OLIO INTELLIGENTE E MOBILE

SMART & MOBILE OIL BAR

Efficient. Intelligent. European-Made.

- Battery powered (12V)
- High-performance gear pump
- Adjustable flow, no spillage

Smart Connectivity & Traceability

- Traceable fills
- Secure login
- Auto reorder
- Stock & billing management



Traditional Method (Jug)

- Manual process, time-consuming
- Frequent overfills and spills (avg. 7% loss)
- Higher risk of using wrong oil
- Risk of spills on floor or engine bay
- Errors and omissions are common
- Manual, prone to delays and stockouts
- Jug must be carried manually
- Repetitive bending and lifting – injury risk

Time-saving & Cost-efficient

- Battery powered (12V)
- High-performance gear pump
- Adjustable flow, no spillage

Comfort & Ergonomics

- Ergonomic trolley – easy mobility
- Work closer to vehicles
- Mobile trolley
- Close-to-vehicle



SMART & MOBILE OIL BAR DISPENSER

- Autonomous system – saves ~5 min per fill-up
- Precise dosing – minimizes waste
- Software reduces risk of incorrect oil use
- Controlled flow – avoids drips, keeps area clean
- Automatic recording – operator, oil type, volume
- Automated, error-free billing
- Automatic reorder notifications to supplier
- Mobile, ergonomic trolley – work closer to vehicle



HU46030

**FILL THE OIL JAR
MANUALLY: ~5 MINUTES**

**AND ANOTHER 5-10 MINUTES
TO TRANSFER TO THE VEHICLE**



VS




Kollisionz

HEAVY DUTY REPAIR SOLUTIONS



KOLLISIONZ CONSULTING



KOLLISIONZ TRAINING



CRASH REPAIR SYSTEM



Phone
+91 77994 88990



Email
ateet@kollisionz.com



Website
www.kollisionz.com